

TL207
B3

TL207

B3

✓ 36502

Barnes, K.W.

Handbook of gasoline automobiles.

DATE DUE

| | | | |
|------------|--|--|--|
| NOV 5 '85 | | | |
| OCT 30 '84 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

PRAIRIE STATE COLLEGE
LEARNING CENTER

PRAIRIE STATE COLLEGE LEARNING CENTER



3 2783 00029 7534

HAND BOOK OF
GASOLINE
AUTOMOBILES

EARL W. HARRIS

STANDARD
CASOLINE
AUTOMOBILES

HAND BOOK OF

GASOLINE AUTOMOBILES

**FOR THE INFORMATION OF THE PUBLIC
WHO ARE INTERESTED IN
THEIR MANUFACTURE
AND USE
1908**

KARL W. BARNES

BELL PUBLISHING COMPANY • NEW YORK

**PRAIRIE STATE COLLEGE
LEARNING CENTER**

Copyright, MCMVIII, by the
Association of Licensed Automobile Manufacturers
New York City, N. Y.

ALL RIGHTS RESERVED

b c d e f g h

Printed in the United States of America

FIFTH ANNUAL ANNOUNCEMENT

THE Hand Book of Gasoline Automobiles is issued annually by the Association of Licensed Automobile Manufacturers in the interest of its members who are the leading American manufacturers of gasoline cars, their dealers and those interested in the purchase of a high-grade automobile. It has definitely taken its place as a permanent annual publication, and is the accepted standard authority on the subject with which it deals. In its illustrations and specifications are fully and correctly described the product of the leading American manufacturers of automobiles, as well as representing the leading importers of gasoline cars which are licensed under the Selden patent.

In the early Seventies, George B. Selden experimented with road locomotion, finally building an internal combustion engine until his success resulted in the application for a patent on May 8, 1879. This was about five years before Benz and Daimler operated their petrol vehicles in Germany. Selden's patent No. 549,160 was granted by the United States Patent Office, November 5, 1895, and in it were granted the exclusive rights for a period of seventeen years, to manufacture, sell and use his invention. The patent covers broadly all gasoline automobiles which are accepted as commercially practical. That the United States Patent Office recognized the importance of this patent is shown by the report of the Commissioner which reads as follows: "Selden in 1895, received a patent, November 5th, No. 549,160, which may be considered the

pioneer invention in the application of compression gas engine to road or horseless carriage use."

The leading manufacturers and importers, after a thorough investigation, resulting in their conviction of its validity, have protected themselves, their dealers and the users of their product by securing a license under this patent. These licensees then organized the Association of Licensed Automobile Manufacturers, to protect their rights and that of their dealers and users under this patent and under the four hundred other patents in the control of its members as against those who used patented automobile improvements without regard to the rights of others. There is no combination among these manufacturers and importers and every one of them conducts his business entirely independent of the others, and among them all a free competition is maintained. The only bond between the companies represented herein is their recognition of this patent and the conviction that such recognition is a guarantee that the purchasers of their machines are guaranteed protection from the liability of suits resulting from the unlicensed use of the rights of the pioneer.

The benefits of the organization have finally become apparent to the public in improved and advanced construction. It has been the aim of the Association, aside from the protection of its members in their patent rights, to conserve the interests of the manufacturers and purchasers of cars by producing cars of merit, and the results of these endeavors are apparent, for it is a well-known fact that the cars manufactured by the members of the Association, that are receiving this co-operation, are superior in every detail to those not deriving these accrued and cumulative benefits.

**ORGANIZATION OF THE
ASSOCIATION OF
LICENSED AUTOMOBILE
MANUFACTURERS**

ORGANIZATION OF ASSOCIATION OF LICENSED AUTOMOBILE MANUFACTURERS

OFFICERS

| | |
|---|--------------------------------------|
| Charles Clifton, <i>President</i> | The George N. Pierce Company |
| Thomas Henderson, <i>Vice-President</i> | Winton Motor Carriage Company |
| L. H. Kittredge, <i>Secretary</i> | Peerless Motor Car Company |
| H. H. Franklin, <i>Treasurer</i> | H. H. Franklin Manufacturing Company |

EXECUTIVE COMMITTEE

| | |
|------------------|-------------------------------|
| Charles Clifton | The George N. Pierce Company |
| S. T. Davis, Jr. | Locomobile Company of America |
| W. E. Metzger | Cadillac Motor Car Company |
| Herbert Lloyd | Electric Vehicle Company |
| Thomas Henderson | Winton Motor Carriage Company |

TRADES COMMITTEE

| | |
|------------------|--------------------------------------|
| W. E. Metzger | Cadillac Motor Car Company |
| George Pope | Pope Manufacturing Company |
| H. H. Franklin | H. H. Franklin Manufacturing Company |
| C. C. Hildebrand | Stevens-Duryea Company |
| Thomas Henderson | Winton Motor Carriage Company |

COMMITTEE ON TIRES

| | |
|-----------------|----------------------------|
| Albert L. Pope | Pope Manufacturing Company |
| L. H. Kittredge | Peerless Motor Car Company |
| S. D. Waldon | Packard Motor Car Company |

HAND BOOK COMMITTEE

| | |
|------------------|-------------------------------|
| L. H. Kittredge | Peerless Motor Car Company |
| W. E. Metzger | Cadillac Motor Car Company |
| Thomas Henderson | Winton Motor Carriage Company |

SHOW COMMITTEE

| | |
|-------------------------------|------------------------------|
| George Pope | Pope Manufacturing Company |
| Charles Clifton | The George N. Pierce Company |
| M. L. Downs, <i>Secretary</i> | A.L.A.M. |

TRAFFIC COMMITTEE

| | |
|------------------|-------------------------------|
| S. D. Waldon | Packard Motor Car Company |
| Thomas Henderson | Winton Motor Carriage Company |
| E. P. Chalfant | Waltham Manufacturing Company |

ADVERTISING AND PUBLICITY COMMITTEE

| | |
|-------------------|-------------------------------|
| F. L. Smith | Olds Motor Works |
| E. R. Thomas | E. R. Thomas Motor Company |
| Charles B. Shanks | Winton Motor Carriage Company |
| J. A. Kingman | Locomobile Company of America |

NEW YORK OFFICE

| | |
|---------------|------------------------|
| M. J. Budlong | <i>General Manager</i> |
|---------------|------------------------|

PATENT DEPARTMENT

| | |
|------------------|----------------|
| Hermann F. Cuntz | <i>Manager</i> |
|------------------|----------------|

AGENCY DEPARTMENT

| | |
|-------------------|----------------|
| Charles A. Wardel | <i>Manager</i> |
|-------------------|----------------|

TRAFFIC DEPARTMENT

| | |
|-----------------|----------------|
| James S. Marvin | <i>Manager</i> |
|-----------------|----------------|

ADVERTISING AND PUBLICITY DEPARTMENT

| | |
|------------------|----------------|
| Harry T. Clinton | <i>Manager</i> |
|------------------|----------------|

MECHANICAL BRANCH

| | |
|-------------------------------------|-------------------------------|
| A. L. Riker, <i>Chairman</i> | Locomobile Company of America |
| Coker F. Clarkson, <i>Secretary</i> | A.L.A.M. |
| Henry Souther, <i>Metallurgist</i> | Hartford, Conn. |

COMMITTEE ON TESTS

| | |
|-----------------------------------|--------------------------------------|
| A. L. Riker (<i>Ex-officio</i>) | Locomobile Company of America |
| H. E. Coffin (<i>Chairman</i>) | E. R. Thomas Detroit Company |
| H. P. Maxim | Electric Vehicle Company |
| John Wilkinson | H. H. Franklin Manufacturing Company |
| Russell Huff | Packard Motor Car Company |
| J. G. Utz | E. R. Thomas Detroit Company |

ASSOCIATION PATENTS COMPANY

DIRECTORS

| | |
|---------------------------------------|--------------------------------------|
| Charles Clifton, <i>President</i> | The George N. Pierce Company |
| G. H. Stilwell, <i>Vice-President</i> | H. H. Franklin Manufacturing Company |
| E. H. Cutler, <i>Treasurer</i> | Knox Automobile Company |
| E. R. Thomas | E. R. Thomas Motor Company |
| James H. Becker | Elmore Manufacturing Company |
| Elwood Haynes | Haynes Automobile Company |

**ALPHABETICAL INDEX
OF MEMBERS
TOGETHER WITH AN
INDEX OF TRADE NAMES**

ALPHABETICAL INDEX

| | PAGES | | PAGES |
|--|----------|--|---------|
| Apperson Brothers Automobile Co. | 97 | Walter C. Martin | 131 |
| Auto Import Co. | 131 | Northern Motor Car Co. | 30-33 |
| Autocar Co. | 79-81 | Olds Motor Works | 98-101 |
| Sidney B. Bowman Automobile Co. | 131 | Packard Motor Car Co. | 50-55 |
| Buick Motor Co. | 125-129 | Peerless Motor Car Co. | 56-61 |
| Cadillac Motor Car Co. | 68-74 | The George N. Pierce Co. | 41-44 |
| Corbin Motor Vehicle Corporation | 64-67 | Pope Manufacturing Co. | 94 |
| Darracq Motor Car Co. | 131 | Pope Motor Car Co. | 95, 96 |
| De Dietrich Import Co. | 131 | Royal Motor Car Co. | 62, 63 |
| Electric Vehicle Co. | 45-49 | Alden Sampson, 2nd | |
| Elmore Manufacturing Co. | 75, 76 | Selden Motor Vehicle Co. | 130 |
| H. H. Franklin Mfg. Co. | 18-25 | Simplex Automobile Co. (Wilbur C. Whitehead) | |
| Haynes Automobile Co. | 102, 103 | F. B. Stearns Co. | 77, 78 |
| Hewitt Motor Co. | 115 | Stevens-Duryea Co. | 89-93 |
| Hol-Tan Co. | 131 | Studebaker Automobile Co. | 116-119 |
| Knox Automobile Co. | 34-40 | E. R. Thomas Detroit Co. | 111 |
| Locomobile Co. of America | 82-87 | E. R. Thomas Motor Co. | 112-114 |
| Lozier Motor Co. | 107-110 | Walter Automobile Co. | 88 |
| Matheson Motor Car Co. | 26-29 | Waltham Manufacturing Co. | 120-124 |
| | | Winton Motor Carriage Co. | 104-106 |
| | | Wyckoff, Church & Partridge | 131 |

Catalogue Request Blanks, 133-141

INDEX OF TRADE NAMES

| | PAGES | | PAGES |
|----------------------------|----------|------------------------------|---------|
| Apperson | 97 | Martini | 131 |
| Autocar | 79-81 | Matheson | 26-29 |
| Buick | 125-129 | Northern | 30-33 |
| Cadillac | 68-74 | Oldsmobile | 98-101 |
| C. G. V. | 131 | Packard | 50-55 |
| Clement-Bayard | 131 | Peerless | 56-61 |
| Clement-Talbot | 131 | Pierce Great Arrow | 41-44 |
| Columbia | 45-49 | Pope-Hartford | 94 |
| Corbin | 64-67 | Pope-Toledo | 95, 96 |
| Darracq | 131 | Rochet-Schneider | 131 |
| De Dietrich | 131 | Rolls-Royce | 131 |
| Elmore | 75, 76 | Royal Tourist | 62, 63 |
| English Daimler | | Sampson | |
| F I A T | 131 | Selden | 130 |
| Franklin | 18-25 | Simplex | |
| Florenzia | 131 | Stearns | 77, 78 |
| Haynes | 102, 103 | Stevens-Duryea | 89-93 |
| Hewitt | 115 | Studebaker | 116-119 |
| Isotta-Fraschini | 131 | Thomas | 112-114 |
| Itala | 131 | Thomas Detroit | 111 |
| Knox | 34-40 | Walter | 88 |
| Locomobile | 82-87 | Waltham-Orient | 120-124 |
| Locomotrice | 131 | Winton | 104-106 |
| Lozier | 107-110 | | |

Catalogue Request Blanks, 133-141

**A. L. A. M. HORSE-POWER
RATING**

A. L. A. M. HORSE-POWER RATING


IT will be noted throughout the specifications in this year's Hand Book, that in many instances and for the first time the computation of horse-power rating is reckoned from a standard formula. The Mechanical Branch has, for some time, felt the need of a standard formula for computing the horse-power of a motor. The formula given herein was decided upon after a careful canvass of the various members of the Mechanical Branch, consisting of the chief engineers of the various members of the Association.

The formula adopted is $\frac{D^2 \times N}{2.5}$ and based on 1000 feet piston speed per minute. D is the bore of the cylinder, N number of cylinders, and 2.5 the arbitrary constant, based on the average view of the Mechanical Branch as to the power developed by a motor of given size and on actual engine tests. For example—a good four-cylinder motor with 5-inch bore will develop at least 40 horse-power; as 5 inches equal D, being squared and multiplied by 4, the number of cylinders, and divided by the constant 2.5, will give 40-horse-power as a conservative rating for that size of motor. The formula was not intended primarily to be used for racing or contests, but simply as a commercial rating; still there is no reason why it cannot be used equally well for a basis of contests of any character. The same formula was adopted by the Automobile Club of Great Britain and Ireland, now the Royal Automobile Club, and is used as a basis for nearly all the contests held abroad.

**ILLUSTRATIONS AND
SPECIFICATIONS**

**H. H. FRANK-
LIN MFG. CO.**
Syracuse, New York

PRICE . . \$1750
With Cape Top \$1825
With Victoria Top \$1875




MODEL : G, RUNABOUT.

| | | | |
|---------------------------|--|---------------------------|-----------------------------|
| Color | Royal blue. | Cylinders | Four. |
| Seating Capacity . | Two persons. | Arranged | Vertically, under hood. |
| Clutch | Disc. | How Cast | Separately. |
| Wheel Base | 90 inches. | Bore | 3¼ inches. |
| Gauge | 54 inches. | Stroke | 3¼ inches. |
| Tire Dimensions, | | Cooling | Air. |
| Front | 30 x 3 inches. | Ignition | Jump spark. |
| Rear | 30 x 3½ inches. | Electric Source . | Dry batteries. |
| Brakes | Three. TYPE : Contracting on transmission and rear wheels. | Drive | Shaft. |
| Horse-power . . . | (A.L.A.M. rating), 16. | Transmission . . | Progressive sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**H. H. FRANK-
LIN MFG. CO.**
Syracuse, New York

PRICE . . \$1850
With Extension Top
\$1950




MODEL : G, TOURING.

| | |
|--|--|
| Color Royal blue. | Cylinders Four. |
| Seating Capacity . Four persons. | Arranged Vertically, under hood. |
| Clutch Disc. | How Cast Separately. |
| Wheel Base 90 inches. | Bore $3\frac{1}{4}$ inches. |
| Gauge $5\frac{1}{4}$ inches. | Stroke $3\frac{1}{4}$ inches. |
| Tire Dimensions, | Cooling Air. |
| Front 30 x 3 inches. | Ignition Jump spark. |
| Rear 30 x $3\frac{1}{2}$ inches. | Electric Source . Dry batteries. |
| Brakes Three. TYPE : Con- tracting on transmission and rear wheels. | Drive Shaft. |
| Horse-power . . (A.L.A.M. rating), 16. | Transmission . . Progressive sliding gear. |
| | Gear Changes . . Three forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**H. H. FRANK-
LIN MFG. CO.**
Syracuse, New York

PRICE . . \$2850



MODEL : D, RUNABOUT.

Color Royal blue.

Seating Capacity . Four persons.

Clutch Disc.

Wheel Base . . . 105 inches.

Gauge 54 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Three. TYPE: Con-
tracting on transmission
and rear wheels.

Horse-power . . (A.L.A.M. rating), 28.

Cylinders Four.

Arranged . . . Vertically, under hood.

How Cast . . . Separately.

Bore 4¼ inches.

Stroke 4 inches.

Cooling Air.

Ignition Jump spark.

Electric Source . Magneto and dry bat-
teries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

3

\$2970



Descriptive catalogue will be sent upon application to the above-named company

**H. H. FRANK-
LIN MFG. CO.**

Syracuse, New York



PRICE . . \$4000



MODEL: D, LANDAULET.

Color Royal blue.

Seating Capacity . Five persons.

Clutch Disc.

Wheel Base . . . 105 inches.

Gauge 54 inches.

Tire Dimensions,

Front 32 x 3½ inches.

Rear 32 x 4 inches.

Brakes Three. TYPE: Contracting on transmission and rear wheels.

Horse-power . . (A. L. A. M. rating), 28.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4¼ inches.

Stroke 4 inches.

Cooling Air.

Ignition Jump spark.

Electric Source . Magneto and dry batteries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**H. H. FRANK-
LIN MFG. CO.**
Syracuse, New York

PRICE . . \$4000



MODEL : H, RUNABOUT.

Color Royal blue.

Seating Capacity . Four persons.

Clutch Disc,

Wheel Base . . . 119 inches.

Gauge 54 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Three. TYPE : Con-
tracting on transmission
and rear wheels.

Horse-power . . (A.L.A.M. rating), 42.

Cylinders Six.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4¼ inches.

Stroke 4 inches.

Cooling Air.

Ignition Jump spark.

Electric Source . Magneto and dry bat-
teries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

Syracuse, New York

PRICE . . \$4000

With Extension Top
\$4130




MODEL: H, TOURING.

| | | | |
|-----------------------------------|---|----------------------------------|-----------------------------|
| Color | Royal blue. | Cylinders | Six. |
| Seating Capacity | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Disc. | How Cast | Separately. |
| Wheel Base | 127 inches. | Bore | 4¼ inches. |
| Gauge | 54 inches. | Stroke | 4 inches. |
| Tire Dimensions, | | Cooling | Air. |
| Front | 36 x 4 inches. | Ignition | Jump spark. |
| Rear | 36 x 4½ inches. | Electric Source | Magneto and dry batteries. |
| Brakes | Three. TYPE: Contracting on transmission and rear wheels. | Drive | Shaft. |
| Horse-power | (A.L.A.M. rating), 42. | Transmission | Selective sliding gear. |
| | | Gear Changes | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

3

PRICE . . . \$5200



MODEL : H, LIMOUSINE.

| | | | |
|----------------------------|---|----------------------------|-----------------------------|
| Color | Royal blue. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Disc. | How Cast | Separately. |
| Wheel Base | 127 inches. | Bore | 4¼ inches. |
| Gauge | 54 inches. | Stroke | 4 inches. |
| Tire Dimensions, | | Cooling | Air. |
| Front | 34 x 4 inches. | Ignition | Jump spark. |
| Rear | 34 x 4½ inches. | Electric Source . | Magneto and dry batteries. |
| Brakes | Three. TYPE: Contracting on transmission and rear wheels. | Drive | Shaft. |
| Horse-power | (A.L.A.M. rating), 42. | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |


Descriptive catalogue will be sent upon application to the above-named company

**MATHESON
MOTOR CAR
COMPANY**

Wilkesbarre, Pa.

PRICE . . \$5250

With 4 or 5 Bow Cape
Top \$5400



MODEL : RUNABOUT.

| | | | |
|-----------------------------------|---|----------------------------------|--|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity | Three or four persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | Separately. |
| Wheel Base | 128 inches. | Bore | 5 inches. |
| Gauge | 56½ inches. | Stroke | 6 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Honeycomb. |
| Rear | 36 x 5 inches. | Ignition | Make-and-break. |
| Brakes | Four. TYPE: Contracting on sprocket shafts, operated by foot pedal; expanding in rear wheel drums, operated by emergency lever. | Electric Source | Low tension Bosch magneto and storage battery. |
| Horse-power | 50. | Drive | Double chain. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one reverse. |


Descriptive catalogue will be sent upon application to the above-named company

**MATHESON
MOTOR CAR
COMPANY**

Wilkesbarre, Pa.

PRICE . . \$5500

**With 4 or 5 Bow Cape
Top \$5750**



MODEL : TOURING CAR.

Color Optional.

Seating Capacity . Seven persons.

Clutch Multiple disc.

Wheel Base 128 inches.

Gauge 56½ inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches.

Brakes Four. TYPE : Contracting on sprocket shafts, operated by foot pedal ; expanding in rear wheel drums, operated by emergency lever.

Horse-power . . 50.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 5 inches.

Stroke 6 inches.

Cooling Water.

Radiator Honeycomb.

Ignition Make-and-break.

Electric Source . Low tension Bosch magneto and storage battery.

Drive Double chain.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**MATHESON
MOTOR CAR
COMPANY**

Wilkesbarre, Pa.



PRICE . . 56500




MODEL : LANDAULET.

| | | | |
|-----------------------------------|---|----------------------------------|--|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | Separately. |
| Wheel Base | 128 inches. | Bore | 5 inches. |
| Gauge | 56½ inches. | Stroke | 6 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Honeycomb. |
| Rear | 36 x 5 inches. | Ignition | Make-and-break. |
| Brakes | Four. TYPE: Contracting on sprocket shafts, operated by foot pedal; expanding in rear wheel drums, operated by emergency lever. | Electric Source | Low tension Bosch magneto and storage battery. |
| Horse-power | 50. | Drive | Double chain. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**MATHESON
MOTOR CAR
COMPANY**
Wilkesbarre, Pa.

PRICE . . \$6500



MODEL : LIMOUSINE.

Color Optional.

Seating Capacity . Seven persons.

Clutch Multiple disc.

Wheel Base . . . 128 inches.

Gauge 56½ inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches;

Brakes Four. TYPE: Contracting on sprocket shafts, operated by foot pedal; expanding in rear wheel drums, operated by emergency lever.

Horse-power . . 50.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 5 inches.

Stroke 6 inches.

Cooling Water.

Radiator Honeycomb.

Ignition Make-and-break.

Electric Source . Low tension Bosch magneto and storage battery.

Drive Double chain.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.


Descriptive catalogue will be sent upon application to the above-named company

**NORTHERN
MOTOR CAR
COMPANY**
Detroit, Michigan



PRICE . . \$1600

**With Folding Run-
about Top \$1680**



MODEL : C, TOURING RUNABOUT.


| | |
|--|--|
| Color Carmine. | Cylinders Two. |
| Seating Capacity . Three or four persons. | Arranged Opposed. |
| Clutch Expanding ; metal. | How Cast Separately. |
| Wheel Base 106 inches. | Bore 5¼ inches. |
| Gauge 56 or 60 inches. | Stroke 5¼ inches. |
| Tire Dimensions, | Cooling Water. |
| Front 32 x 3½ inches. | Radiator Vertical tube. |
| Rear 32 x 3½ inches. | Ignition Jump spark. |
| Brakes Two. TYPE : Contract- ing on rear wheels. | Electric Source . Dry batteries. |
| Horse-power . . (A.L.A.M. rating), 24. | Drive Shaft. |
| | Transmission . . Planetary. |
| | Gear Changes . . Two forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**NORTHERN
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . \$1600

**With Springfield
Folding Top \$1700**



MODEL : C, TONNEAU CAR.

Color Carmine.

Seating Capacity . Five persons.

Clutch Expanding ; metal.

Wheel Base . . . 106 inches.

Gauge 56 or 60 inches.

Tire Dimensions,

Front 32 x 3½ inches.

Rear 32 x 3½ inches.

Brakes Two. TYPE: Contracting on rear wheels.

Horse-power . . (A.L.A.M. rating), 24.

Cylinders Two.

Arranged Opposed.

How Cast Separately.

Bore 5½ inches.

Stroke 5¼ inches.

Cooling Water.

Radiator Vertical tube.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Shaft.

Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company.

**NORTHERN
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . \$2800




MODEL: C, LIMOUSINE.

| | | | |
|---------------------------|---|----------------------------|---------------------------------------|
| Color | Royal blue. | Cylinders | Two. |
| Seating Capacity . | Seven persons. | Arranged | Horizontally, opposed, under hood. |
| Clutch | Expanding; metal. | How Cast | Separately. |
| Wheel Base | 106 inches. | Bore | 5½ inches. |
| Gauge | 56 or 60 inches. | Stroke | 5¼ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 4 inches. | Radiator | Vertical tube. |
| Rear | 32 x 4 inches. | Ignition | Jump spark. |
| Brakes | Two. TYPE: Contract- ing on rear wheels. | Electric Source . | Dry batteries. |
| Horse-power . . . | (A.L.A.M. rating), 24. | Drive | Shaft. |
| | | Transmission . . | Planetary. |
| | | Gear Changes . . | Two forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**NORTHERN
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . \$3500
With Springfield
Leather or Three-ply
Mackintosh Top \$3750



MODEL: L, TONNEAU CAR.

Color Carmine.

Seating Capacity . Seven persons.

Clutch Cone.

Wheel Base . . . 114 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 4½ inches.

Rear 34 x 4½ inches.

Brakes Four. TYPE: Two contracting; two expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 40.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 5 inches.

Stroke 5 inches.

Cooling Water.

Radiator Flat tube, vertical.

Ignition Jump spark.

Electric Source . Dry and storage batteries.

Drive Shaft.

Transmission . . Sliding gear in rear axle.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$1800



MODEL : 41, DELIVERY WAGON.

Color Red or green.

Carrying Capacity 1500 pounds.

Clutch Multiple disc.

Wheel Base 78 inches.

Gauge 56 inches.

Tire Dimensions,

Front 32 x 3½ inches.

Rear 32 x 3½ inches.

Brakes Three. TYPE : Foot and hand on transmission and differential.

Horse-power . . (A.L.A.M. rating), 10.

Cylinders One.

Arranged Horizontally, under body.

Bore 5 inches.

Stroke 8 inches.

Cooling Air.

Ignition Jump spark.

Electric Source . Dry batteries and coil.

Drive Single chain.

Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$4200



MODEL : 232, TRUCK.

Color Optional.

Carrying Capacity 6000 pounds.

Clutch Cone, metal-to-metal ;
in oil bath.

Wheel Base 111 inches.

Gauge 60 inches front, 62 inches
rear.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4 inches dual.

Brakes Three.

Horse-power (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4 $\frac{3}{8}$ inches.

Stroke 4 $\frac{3}{4}$ inches.

Cooling Air.

Ignition Jump spark.

Electric Source Dry batteries.

Drive Bevel-gear to jack shaft,
double side chains to
rear wheels.


Transmission Selective sliding gear.

Gear Changes Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$2500
Air Cooled
Water Cooled **\$2600**



MODEL : H, SPORTABOUT.

Color Napier green, Mercedes red, Brewster green, French grey.

Seating Capacity . Three persons.

Clutch Cone, metal-to-metal ; in oil bath.

Wheel Base . . . 102 inches.

Gauge 56 inches.

Tire Dimensions,

Front 32 x 3½ inches.

Rear 32 x 3½ inches.

Brakes Three. TYPE: Expanding and contracting on rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4¾ inches.

Stroke 4¾ inches.

Cooling Air or water.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Shaft.


Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$2500
Air Cooled
Water Cooled **\$2600**



MODEL : H, STANHOPE.

Color Napier green, Mercedes red, Brewster green, French grey.

Seating Capacity . Three persons.

Clutch Cone, metal-to-metal ; in oil bath.

Wheel Base . . . 102 inches.

Gauge 56 inches.

Tire Dimensions,

Front 32 x 4 inches.

Rear 32 x 4 inches.

Brakes Three. TYPE: Expanding and contracting on rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4 $\frac{3}{8}$ inches.

Stroke 4 $\frac{3}{8}$ inches.

Cooling Air or water.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company


KNOX AUTO- MOBILE CO.

Springfield, Mass.

PRICE . . \$2600
Air Cooled

Water Cooled \$2700

With Cape Top \$150
Extra



MODEL : H, KNOX WATERLESS.

Color Napier green, Mercedes
red, Brewster green,
French grey.

Seating Capacity . Five persons.

Clutch Cone.

Wheel Base . . . 102 inches.

Gauge 56 inches.

Tire Dimensions,

Front 32 x 4 inches.

Rear 32 x 4 inches.

Brakes Three. TYPE: Expand-
ing and contracting on
rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4 $\frac{3}{8}$ inches.

Stroke 4 $\frac{3}{4}$ inches.

Cooling Air or water.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Shaft.


Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$3500
Air Cooled
Water Cooled **\$3600**



MODEL : H, LANDAULET.

| | | | |
|---------------------------|--|--------------------------|-----------------------------|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, metal-to-metal ; in oil bath. | How Cast | Separately. |
| Wheel Base . . . | 102 inches. | Bore | 4 $\frac{3}{8}$ inches. |
| Gauge | 56 inches. | Stroke | 4 $\frac{1}{4}$ inches. |
| Tire Dimensions, | | Cooling | Air or water. |
| Front | 32 x 4 inches. | Ignition | Jump spark. |
| Rear | 32 x 4 inches. | Electric Source . | Dry batteries. |
| Brakes | Three. TYPE: Expanding and contracting on rear wheels. | Drive | Shaft. |
| Horse-power . . . | (A.L.A.M. rating), 30. | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$3500
Air Cooled
Water Cooled \$3600



MODEL : H, LIMOUSINE.

| | |
|--|---|
| Color Optional. | Cylinders Four. |
| Seating Capacity . Five persons. | Arranged Vertically, under hood. |
| Clutch Cone, metal-to-metal ; in oil bath. | How Cast Separately. |
| Wheel Base . . . 102 inches. | Bore 4 $\frac{3}{8}$ inches. |
| Gauge 56 inches. | Stroke 4 $\frac{3}{4}$ inches. |
| Tire Dimensions, | Cooling Air or water. |
| Front 32 x 4 inches. | Ignition Jump spark, |
| Rear 32 x 4 inches. | Electric Source . Dry batteries. |
| Brakes Three. TYPE : Expanding and contracting on drums on rear wheels. | Drive Shaft. |
| Horse-power . . (A.L.A.M. rating), 30. | Transmission . . Selective sliding gear. |
| | Gear Changes . . Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**THE GEORGE
N. PIERCE CO.**
Buffalo, N. Y.

PRICE . . \$5000
With Cape Top \$5200



MODEL : PIERCE GREAT ARROW.

Color Optional.
Seating Capacity . Seven persons.
Clutch Cone, leather faced, with cork inserts.
Wheel Base . . . 124 inches.
Gauge 56 inches.
Tire Dimensions,
 Front 36 x 4 inches.
 Rear 36 x 5 inches.
Brakes Four. TYPE: Internal expanding and external contracting on rear wheels.
Horse-power . . (A.L.A.M. rating), 40.


Cylinders Four.
Arranged Vertically, under hood.
How Cast Separately.
Bore 5 inches.
Stroke 5½ inches.
Cooling Water.
Radiator Cellular.
Ignition Jump spark.
Electric Source . . Storage battery and high tension magneto.
Drive Shaft.
Transmission . . . Sliding gear.
Gear Changes . . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**THE GEORGE
N. PIERCE CO.
Buffalo, N. Y.**



PRICE . . \$5500
With Cape Top \$5700



MODEL : PIERCE GREAT ARROW.

| | | | |
|---------------------------|--|----------------------------|--|
| Color | Optional. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced, with cork inserts. | How Cast | Separately. |
| Wheel Base | 130 inches. | Bore | 4 $\frac{1}{4}$ inches. |
| Gauge | 56 inches. | Stroke | 4 $\frac{3}{4}$ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Cellular. |
| Rear | 36 x 5 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Internal expanding and external contracting on drums on both rear wheels. | Electric Source . | Storage battery and high tension magneto. |
| Horse-power . . . | (A.L.A.M. rating), 40. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company.

THE GEORGE
N. PIERCE CO.
Buffalo, N. Y.

PRICE . . \$6250



MODEL : GREAT ARROW SUBURBAN.

Color Optional.

Seating Capacity . Seven persons.

Clutch Cone, leather faced, with
cork inserts.

Wheel Base . . . 124 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches.

Brakes Four. TYPE : Internal
expanding and external
contracting on drums on
both rear wheels.

Horse-power . . (A.L.A.M. rating), 40.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 5 inches.

Stroke 5½ inches.

Cooling Water.

Radiator Cellular.

Ignition Jump spark.

Electric Source . Storage battery and high
tension magneto.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**THE GEORGE
N. PIERCE CO.
Buffalo, N. Y.**

**PRICE . . \$6500
With Cape Top \$6700**



MODEL : PIERCE GREAT ARROW.

| | | | |
|---------------------------|--|----------------------------|--|
| Color | Optional. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced, with cork inserts. | How Cast | Separately. |
| Wheel Base | 135 inches. | Bore | 5 inches. |
| Gauge | 56 inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4½ inches. | Radiator | Cellular. |
| Rear | 36 x 5 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Internal expanding and external contracting on drums on both rear wheels. | Electric Source . | Storage battery and high tension magneto. |
| Horse-power . . . | (A.L.A.M. rating), 60. | Drive | Shaft. |
| | | Transmission . | Sliding gear. |
| | | Gear Changes . | Three forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**ELECTRIC VE-
HICLE CO.
Hartford, Conn.**

PRICE . . \$3000



MODEL : COLUMBIA, MARK 48-2 RUNABOUT

Color Body, red ; gear, ver-
milion.

Seating Capacity . Three persons.

Clutch Cone, leather faced.

Wheel Base . . . 109 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Two. TYPE: Contract-
ing and expanding on
rear wheels.

Horse-power . . (A.L.A.M. rating), 28.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¼ inches.

Stroke 4½ inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Low tension magneto.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**ELECTRIC VE-
HICLE CO.**
Hartford, Conn.

PRICE . . \$3000
With Cape Top \$3150



MODEL : COLUMBIA, MARK 48-2

Color Body, red; gear, ver-
million.

Seating Capacity . Five persons.

Clutch Cone, leather faced.

Wheel Base 109 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Two. TYPE: Contract-
ing and expanding on
rear wheels.

Horse-power . . . (A.L.A.M. rating), 28.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¼ inches.

Stroke 4½ inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Low tension magneto.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**ELECTRIC VE-
HICLE CO.**
Hartford, Conn.

PRICE . . \$4200



MODEL : COLUMBIA, MARK 48-2 LIMOUSINE

Color Optional.

Seating Capacity . Five persons.

Clutch Cone, leather faced.

Wheel Base . . . 115 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 4 inches.

Rear 34 x 4½ inches.

Brakes Two. TYPE: Contracting and expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 28.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¼ inches.

Stroke 4½ inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Low tension magneto.

Drive Shaft.


Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**ELECTRIC VE-
HICLE CO.**
Hartford, Conn.

PRICE . . \$6500
With Cape Top \$6750



MODEL : COLUMBIA, MARK 66-3

Color Optional.

Seating Capacity . Seven persons.

Clutch Electric.

Wheel Base . . . 124 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches.

Brakes Three. **TYPE:** One electric, one contracting bands, one expanding shoes; mechanical brakes on rear wheels.

Horse-power . . (A.L.A.M. rating), 48.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 5½ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Cellular.

Ignition Jump spark.

Electric Source . High tension magneto and batteries.

Drive Shaft to live rear axle.

Transmission . . Electric.

Gear Changes . . Five forward, two reverse.


Descriptive catalogue will be sent upon application to the above-named company

**MODEL : COLUMBIA, MARK 66-3 LIMOUSINE****Color** Optional.**Seating Capacity** . Five persons.**Clutch** Electric.**Wheel Base** . . . 124 inches.**Gauge** 56 inches.**Tire Dimensions,****Front** 36 x 4 inches.**Rear** 36 x 5 inches.**Brakes** Three. TYPE: One electric, one contracting bands, one expanding shoes; mechanical brakes on rear wheels.**Horse-power** . . (A.L.A.M. rating), 48.**Cylinders** Four.**Arranged** . . . Vertically, under forward bonnet.**How Cast** In pairs.**Bore** 5½ inches.**Stroke** 5½ inches.**Cooling** Water.**Radiator** Cellular.**Ignition** Jump spark.**Electric Source** . High tension magneto and batteries.**Drive** Shaft.**Transmission** . . Electric.**Gear Changes** . . Five forward, two reverse.

Descriptive catalogue will be sent upon application to the above-named company

PACKARD
MOTOR CAR
COMPANY
Detroit, Mich.

PRICE . . \$4200



MODEL : PACKARD 30 RUNABOUT.

| | | | |
|----------------------------|---|----------------------------|--|
| Color | Body and frame, Packard blue; running gear, cream yellow. | Cylinders | Four. |
| Seating Capacity . | Two persons. | Arranged | Vertically. |
| Clutch | Packard expanding band. | How Cast | In pairs. |
| Wheel Base | 108 inches. | Bore | 5 inches. |
| Gauge | 56½ inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 3½ inches. | Radiator | Cellular. |
| Rear | 36 x 4 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Expanding and contracting on rear wheels. | Electric Source . | Low tension magneto and storage battery. |
| Horse-power | (French rating), 30. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$4200



MODEL : PACKARD 30.

Color Body and frame, Packard blue; running gear, cream yellow.

Seating Capacity . Seven persons.

Clutch Packard expanding band.

Wheel Base . . . 123½ inches.

Gauge 56½ inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: Expanding and contracting on rear wheels.

Horse-power . . (French rating), 30.

Cylinders Four.

Arranged Vertically.

How Cast In pairs.

Bore 5 inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular ribbed.

Ignition Jump spark.

Electric Source . Low tension magneto and storage battery.

Drive Shaft.

Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$4200

Glass Back Canopy
Top, \$470



MODEL : PACKARD 30.

Color Body and frame, Packard blue ; running gear, cream yellow.

Seating Capacity . Seven persons.

Clutch Packard expanding band.

Wheel Base . . . 123½ inches.

Gauge 56½ inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: Expanding and contracting on rear wheels.

Horse-power . . (French rating); 30.

Cylinders Four.

Arranged Vertically.

How Cast In pairs.

Bore 5 inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular ribbed.

Ignition Jump spark.

Electric Source . Low tension magneto and storage battery.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$4200
Cape Cart Top \$150



MODEL : PACKARD 30.

| | | | |
|----------------------------|---|----------------------------|--|
| Color | Body and frame, Packard blue; running gear, cream yellow. | Cylinders | Four. |
| Seating Capacity . | Seven persons. | Arranged | Vertically. |
| Clutch | Packard expanding band. | How Cast | In pairs. |
| Wheel Base | 123½ inches. | Bore | 5 inches. |
| Gauge | 56½ inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Tubular ribbed. |
| Rear | 36 x 4½ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Expanding and contracting on rear wheels. | Electric Source . | Low tension magneto and storage battery. |
| Horse-power | (French rating), 30. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$3800
(Chassis Only)
Body Attached, \$1800



MODEL : PACKARD 30 LIMOUSINE.

Color Body and frame, Packard blue; running gear, cream yellow.

Seating Capacity . Seven persons.

Clutch Packard expanding band.

Wheel Base . . . 123½ inches.

Gauge 56½ inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: Expanding and contracting on rear wheels.

Horse-power . . (French rating), 30.

Cylinders Four.

Arranged Vertically.

How Cast In pairs.

Bore 5 inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular ribbed.

Ignition Jump spark.

Electric Source . Low tension magneto and storage battery.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$3800
(Chassis Only)
Body Attached, \$1900




MODEL : PACKARD 30 LANDAULET.

| | | | |
|----------------------------|---|---------------------------|--|
| Color | Body and frame, Packard blue; running gear, cream yellow. | Cylinders | Four. |
| Seating Capacity . | Seven persons. | Arranged | Vertically. |
| Clutch | Packard expanding band. | How Cast | In pairs. |
| Wheel Base | 123½ inches. | Bore | 5 inches. |
| Gauge | 56½ inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Tubular ribbed. |
| Rear | 36 x 4½ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Expanding and contracting on rear wheels. | Electric Source . | Low tension magneto and storage battery. |
| Horse-power | (French rating), 30. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to *the above-named company

**PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE . . \$4300




MODEL : 18, ROADSTER.

| | | | |
|----------------------------|---|---------------------------|----------------------------|
| Color | French grey with red stripe. | Cylinders | Four. |
| Seating Capacity . | Three persons. | Arranged | Vertically, under hood. |
| Clutch | Expanding band. | How Cast | In pairs. |
| Wheel Base | 109 inches. | Bore | 4 $\frac{1}{8}$ inches. |
| Gauge | 56 inches. | Stroke | 5 $\frac{1}{2}$ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Tubular. |
| Rear | 36 x 4 $\frac{1}{2}$ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheels. | Electric Source . | Magneto and battery. |
| Horse-power | (A.L.A.M. rating), 30. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

PEERLESS
MOTOR CAR
COMPANY
Cleveland, Ohio

PRICE . . \$4300



MODEL : 18, ROADSTER.

Color French grey with red stripe.

Seating Capacity . Three persons.

Clutch Expanding band.

Wheel Base . . . 109 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: Contracting and expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Magneto and battery.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE . . \$4300
With Cape Top \$4475



MODEL: 18, TOURING.

Color Maroon and red.

Seating Capacity . Seven persons.

Clutch Expanding band.

Wheel Base . . . 118 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. **TYPE:** Contracting and expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Magneto and battery.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

PEERLESS
MOTOR CAR
COMPANY
Cleveland, Ohio

PRICE . . \$5500



MODEL : 18, LIMOUSINE.

| | | | |
|----------------------------|---|----------------------------|------------------------------|
| Color | Blue or maroon. | Cylinders | Four. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Expanding band. | How Cast | In pairs. |
| Wheel Base | 118 inches. | Bore | 4 $\frac{1}{2}$ inches. |
| Gauge | 56 inches. | Stroke | 5 $\frac{1}{2}$ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Tubular. |
| Rear | 36 x 4 $\frac{1}{2}$ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheels. | Electric Source . | Magneto and storage battery. |
| Horse-power | (A.L.A.M. rating), 30. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

PEERLESS
MOTOR CAR
COMPANY
Cleveland, Ohio

PRICE . . \$5800



MODEL : 18, LANDAULET.

Color Blue or maroon.

Seating Capacity . Seven persons.

Clutch Expanding band.

Wheel Base 118 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: Contracting and expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Magneto and battery.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above named company

PEERLESS
MOTOR CAR
COMPANY
Cleveland, Ohio

PRICE . . \$6000
With Cape Top \$6175



MODEL : 20.

Color Maroon and red (stand-
ard).

Seating Capacity . Seven persons.

Clutch Expanding band.

Wheel Base . . . 132 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches.

Brakes Four. TYPE : Con-
tracting and expanding
on rear wheels.

Horse-power . . (A.L.A.M. rating), 50.

Cylinders Six.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4½ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Magneto and battery.

Drive Shaft.

Transmission . . Selective sliding gear.


Gear Changes . . Four forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**R O Y A L
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE . . \$4000

With Cape Top \$4150



MODEL : ROYAL TOURIST G-3.

Color Standard.

Seating Capacity . Seven persons.

Clutch Cone, leather faced.

Wheel Base . . . 114 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4½ inches.

Rear 36 x 4½ inches.

Brakes Three. **TYPE :** Expanding on rear wheels; contracting on driving shaft.

Horse-power . . (A.L.A.M. rating), 43.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 5½ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Cellular.

Ignition Jump spark.

Electric Source . Storage battery and magneto.

Drive Bevel gear.

Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**ROYAL
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE . . \$5000



MODEL : ROYAL TOURIST LIMOUSINE G-3.

Color Standard.
Seating Capacity . Seven persons.
Clutch Cone, leather faced.
Wheel Base . . . 114 inches.
Gauge 56 inches.
Tire Dimensions,
 Front 36 x 4½ inches.
 Rear 36 x 4½ inches.
Brakes Three. TYPE : Expanding on rear wheels; contracting on driving shaft.
Horse-power . . (A.L.A.M. rating), 45.

Cylinders Four.
Arranged Vertically, under hood.
How Cast In pairs.
Bore 5½ inches.
Stroke 5½ inches.
Cooling Water.
Radiator Cellular.
Ignition Jump spark.
Electric Source . Storage battery and magneto.
Drive Bevel gear.
Transmission . Sliding gear.
Gear Changes . . Three forward, one reverse.


Descriptive catalogue will be sent upon application to the above-named company

THE CORBIN MOTOR VEHICLE CORPORATION

New Britain, Conn.

PRICE . . . \$2500

With Cape Top \$2650



MODEL : K.

Color Black with red stripe.

Seating Capacity . Five persons.

Clutch Cone, leather faced.

Wheel Base 108 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Four. TYPE: Internal expanding on rear wheels.

Horse-power . . . (A.L.A.M. rating), 32.4.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4½ inches.

Stroke 4¼ inches.

Cooling Water.

Radiator Cellular.

Ignition Jump spark ; two sets of plugs.

Electric Source . Storage battery ; high tension magneto extra.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

THE CORBIN
MOTOR
VEHICLE
CORPORATION
New Britain, Conn.

PRICE . . \$2650
With Cape Top \$2800



MODEL : R.

Color Black, red stripe.

Seating Capacity . Five persons.

Clutch Cone, leather faced.

Wheel Base . . . 108 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Four. TYPE: Internal expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 32.4.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4½ inches.

Stroke 4¼ inches.

Cooling Air.

Ignition Jump spark; two sets of plugs.

Electric Source . Storage battery; high tension magneto extra.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to ,the above-named company

THE CORBIN MOTOR VEHICLE CORPORATION

New Britain, Conn.




PRICE, S . \$2650

With Cape Top \$2800

PRICE, O . \$2500

With Cape Top \$2650



MODEL : S or O.

| | | | |
|----------------------------|--|----------------------------|---|
| Color | Richelieu blue with white stripe. | Cylinders | Four. |
| Seating Capacity . | Two, three or four persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | Separately. |
| Wheel Base | 108 inches. | Bore | 4½ inches. |
| Gauge | 56 inches. | Stroke | 4¼ inches. |
| Tire Dimensions, | | Cooling | S, air ; O, water. |
| Front | 34 x 3½ inches. | Ignition | Jump spark ; two sets of plugs. |
| Rear | 34 x 4 inches. | Electric Source . | Storage battery ; high tension magneto extra. |
| Brakes | Four. TYPE: Internal expanding on rear wheels. | Drive | Shaft. |
| Horse-power | (A.L.A.M. rating), 32.4. | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

THE CORBIN
MOTOR
VEHICLE
CORPORATION
New Britain, Conn.

PRICE, R . \$3500

PRICE, K . \$3650



MODEL: LIMOUSINE (R or K)

| | | | |
|----------------------------|--|----------------------------|--|
| Color | Brewster green. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | Separately. |
| Wheel Base | 108 inches. | Bore | 4½ inches. |
| Gauge | 56 inches. | Stroke | 4¼ inches. |
| Tire Dimensions, | | Cooling | R, air; K, water. |
| Front | 34 x 4 inches. | Radiator | K, cellular. |
| Rear | 34 x 4 inches. | Ignition | Jump spark; two sets of plugs. |
| Brakes | Four. TYPE: Internal expanding on rear wheels. | Electric Source | Storage battery; high tension magneto extra. |
| Horse-power | (A.L.A.M. rating), 32.4. | Drive | Shaft. |
| | | Transmission . . . | Selective sliding gear. |
| | | Gear Changes . . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . . \$1000
With Oil Lamps



MODEL : M, DELIVERY.

Color Brewster green body
and side bars, red running gear.

Carrying Capacity 600 pounds.

Clutch Flat disc.

Wheel Base 76 inches.

Gauge 56 inches (option 61 inches).

Tire Dimensions,

Front 30 x 3½ inches.

Rear 30 x 3½ inches.

Brakes Two. TYPE: Double acting, contracting on differential.

Horse-power . . (A.L.A.M. rating), 10.

Cylinders One.

Arranged Horizontally, under body.

Bore 5 inches.

Stroke 5 inches.

Cooling Water, copper jacketed cylinder.

Radiator Tubular, fin.

Ignition Jump spark.

Electric Source . . Dry batteries.

Drive Single chain.

Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Michigan



PRICE . . . \$850
With Oil Lamps
With Rubber Top
\$910
With Leather Top
\$930
With Leather Victoria
Top \$1025



MODEL : S.

Color Dark blue body and side bars, running gear two shades lighter blue.

Seating Capacity . Two persons.

Clutch Flat disc.

Wheel Base 82 inches.

Gauge 56 inches (option 61 inches).

Tire Dimensions.

Front 30 x 3 inches.

Rear 30 x 3 inches.

Brakes Two. TYPE: Contracting on differential.

Horse-power . . . (A.L.A.M. rating), 10.

Cylinders One.

Arranged Horizontally, under body.

Bore 5 inches.

Stroke 5 inches.

Cooling Water, copper jacketed cylinder.

Radiator Tubular, fin.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Single chain.

Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

CADILLAC MOTOR CAR COMPANY

Detroit, Michigan

PRICE . . \$1000

With Oil Lamps

With Cape Top \$1115



MODEL : T.

| | | | |
|----------------------------|--|----------------------------|----------------------------------|
| Color | Brewster green body and side bars, red running gear. | Cylinders | One. |
| Seating Capacity . | Four persons. | Arranged | Horizontally, under body. |
| Clutch | Flat disc. | Bore | 5 inches. |
| Wheel Base | 82 inches. | Stroke | 5 inches. |
| Gauge | 56 inches (option 61 inches). | Cooling | Water, copper jacketed cylinder. |
| Tire Dimensions, | | Radiator | Tubular, fin. |
| Front | 30 x 3½ inches. | Ignition | Jump spark. |
| Rear | 30 x 3½ inches. | Electric Source . | Dry batteries. |
| Brakes | Two. TYPE: Contracting on differential. | Drive | Single chain. |
| Horse-power | (A.L.A.M. rating), 10. | Transmission . . | Planetary. |
| | | Gear Changes . . | Two forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . \$1350
With Oil Lamps



MODEL : T, COUPE.

Color Blue and black combination.

Seating Capacity . Two persons.

Clutch Flat disc.

Wheel Base . . . 82 inches.

Gauge 56 inches (option 61 inches).

Tire Dimensions,

Front 30 x 3½ inches.

Rear 30 x 3½ inches.

Brakes Two. TYPE : Contracting on differential.

Horse-power . . (A.L.A.M. rating), 10.

Cylinders One.

Arranged Horizontally, under body.

Bore 5 inches.

Stroke 5 inches.

Cooling Water, copper jacketed cylinder.

Radiator Tubular, fin.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Single chain.


Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . . \$2000
With Oil Lamps
With Leather Top
\$2110
With Leather Victoria
Top \$2185



MODEL : G, RUNABOUT.

| | | | |
|-----------------------------------|--|----------------------------------|-----------------------------------|
| Color | French grey, red stripe. | Cylinders | Four. |
| Seating Capacity | Three persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | Separately. |
| Wheel Base | 100 inches. | Bore | 4 inches. |
| Gauge | 56 inches (option 61 inches). | Stroke | 4½ inches. |
| Tire Dimensions, | | Cooling | Water, copper jacketed cylinders. |
| Front | 32 x 3½ inches. | Radiator | Flat tubular. |
| Rear | 32 x 3½ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheel drums. | Electric Source | Storage batteries. |
| Horse-power | (A.L.A.M. rating), 25. | Drive | Shaft. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Michigan

PRICE . . \$2000
With Oil Lamps
With Cape Top \$2160



MODEL : G, TOURING CAR.

Color Dark blue body and side bars, primrose running gear.

Seating Capacity . Five persons.

Clutch Cone, leather faced.

Wheel Base . . . 100 inches.

Gauge 56 inches (option 61 inches).

Tire Dimensions,

Front 32 x 3½ inches.

Rear 32 x 3½ inches.

Brakes Four. TYPE: Contracting and expanding on rear wheel drums.

Horse-power . . (A.L.A.M. rating), 25.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4 inches.

Stroke 4½ inches.

Cooling Water, copper jacketed cylinders.

Radiator Flat tubular.

Ignition Jump spark.

Electric Source . Storage batteries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company


CADILLAC MOTOR CAR COMPANY

Detroit, Michigan



PRICE . . . \$3000

With Oil Lamps



MODEL : G, LIMOUSINE.

| | | | |
|---------------------------|---|----------------------------|-----------------------------------|
| Color | Blue and black combination. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | Separately. |
| Wheel Base | 100 inches. | Bore | 4 inches. |
| Gauge | 56 inches (option 61 inches). | Stroke | 4½ inches. |
| Tire Dimensions, | | Cooling | Water, copper jacketed cylinders. |
| Front | 34 x 4 inches. | Radiator | Flat tubular. |
| Rear | 34 x 4 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE : Contracting and expanding on rear wheel drums. | Electric Source . | Storage batteries. |
| Horse-power . . . | (A.L.A.M. rating), 25. | Drive | Shaft. |
| | | Transmission . | Selective sliding gear. |
| | | Gear Changes . | Three forward, one reverse. |


Descriptive catalogue will be sent upon application to the above-named company

**ELMORE MFG.
COMPANY**

Clyde, Ohio

PRICE . . \$2500

**With Folding Ex-
tension Top \$2625**



MODEL : 40.

Color Blue and red.

Seating Capacity . Five persons.

Clutch Expanding ring.

Wheel Base . . . 108 inches.

Gauge 56 inches.

Tire Dimensions,

Front. 34 x 4 inches.

Rear 34 x 4 inches.

Brakes Two. TYPE: Internal and external on rear wheels.

Horse-power . . (A.L.A.M. rating), 35.

Cylinders Four.

Arranged Vertically, fore and aft.

How Cast Separately.

Bore 4½ inches.

Stroke 4 inches.

Cooling Water.

Radiator Honeycomb.

Ignition Jump spark.

Electric Source . Generator and dry batteries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.


Descriptive catalogue will be sent upon application to the above-named company

**ELMORE MFG.
COMPANY**

Clyde, Ohio

PRICE . . \$1750

**With Folding Ex-
tension Top \$1850**



MODEL : 30.

Color Blue and red.

Seating Capacity . Five persons.

Clutch Expanding ring.

Wheel Base . . . 102 inches.

Gauge 56 inches.

Tire Dimensions,

Front 32 x 3½ inches.

Rear 32 x 3½ inches.

Brakes Two. TYPE: Internal
and external on rear
wheels.

Horse-power . . (A.L.A.M. rating), 24.

Cylinders Three.

Arranged Vertically, fore and aft.

How Cast Separately.

Bore 4¼ inches.

Stroke 4 inches.

Cooling Water.

Radiator Honeycomb.

Ignition Jump spark.

Electric Source . Generator and dry bat-
teries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one re-
verse.

Descriptive catalogue will be sent upon application to the above-named company

**F. B. STEARNS
COMPANY**
Cleveland, Ohio

PRICE . . \$4750




MODEL : STEARNS 30 PULLMAN TOURING CAR

| | |
|--|---|
| Color Optional. | Cylinders Four. |
| Seating Capacity . Seven persons. | Arranged Vertically, under hood. |
| Clutch Expanding. | How Cast In pairs. |
| Wheel Base . . . 120 inches. | Bore 5¾ inches. |
| Gauge 56 inches. | Stroke 5½ inches. |
| Tire Dimensions, | Cooling Water. |
| Front 36 x 4 inches. | Radiator Honeycomb. |
| Rear 36 x 4½ inches. | Ignition Jump spark. |
| Brakes Three. TYPE: Con- tracting on jack shaft; expanding on rear wheels. | Electric Source . Dry batteries and high tension magneto. |
| Horse-power . . . (A.L.A.M. rating), 46.22. | Drive Double side chain. |
| | Transmission . . Selective sliding gear. |
| | Gear Changes . . Four forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

F. B. STEARNS
C O M P A N Y
Cleveland, Ohio

PRICE . . \$6250




MODEL : STEARNS 45 ROADSTER.

| | | | |
|-----------------------------------|---|----------------------------------|---|
| Color | Optional. | Cylinders | Six. |
| Seating Capacity | Four persons. | Arranged | Vertically, under hood. |
| Clutch | Internal expanding. | How Cast | In pairs. |
| Wheel Base | 128 inches. | Bore | 5¾ inches. |
| Gauge | 56 inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Honeycomb. |
| Rear | 36 x 4½ inches. | Ignition | Jump spark. |
| Brakes | Three. TYPE: Contracting on jack shaft; expanding on rear wheels. | Electric Source | Dry batteries and high tension magneto. |
| Horse-power | (A. L. A. M. rating), 69.3. | Drive | Double side chain. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

THE AUTOCAR
COMPANY
Ardmore, Pa.

PRICE . . \$1200
With Bow Top



MODEL : XV.

Color Red, or Brewster green.

Seating Capacity . Three persons.

Clutch Floating ring.

Wheel Base . . . 80 inches.

Gauge 54 inches.

Tire Dimensions,

Front 30 x 3 inches.

Rear 30 x 3 inches.

Brakes Four. TYPE: Internal expanding and external contracting on rear wheels.

Horse-power . . (A.L.A.M. rating), 12.8.

Cylinders Two.

Arranged Horizontally, opposed, under hood.

How Cast Separately.

Bore 4 inches.

Stroke 4 inches.

Cooling Water.

Radiator Round tube, fin.

Ignition Jump spark.

Electric Source . Storage battery.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**THE AUTOCAR
C O M P A N Y**
Ardmore, Pa.

PRICE . . \$2750



MODEL : XIV ROADSTER.

Color Optional, (red, standard color).

Seating Capacity . Three persons.

Clutch Floating ring.

Wheel Base 112 inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 4 inches.

Rear 34 x 4 inches.

Brakes Four. TYPE: Internal expanding and external contracting on rear wheels.

Horse-power . . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically.

How Cast Separately.

Bore 4 1/4 inches.

Stroke 4 1/2 inches.

Cooling Water.

Radiator Flat tube, fin.

Ignition Jump spark.

Electric Source . Storage battery.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

THE AUTOCAR
COMPANY
Ardmore, Pa.

PRICE . . \$2750



MODEL : XIV.

Color Red, or Brewster green.

Seating Capacity . Five persons.

Clutch Floating ring.

Wheel Base . . . 112 inches.

Gauge 60 inches.

Tire Dimensions,

Front 34 x 4 inches.

Rear 34 x 4 inches.

Brakes Four. TYPE: Internal expanding and external contracting on rear wheels.

Horse-power . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically.

How Cast Separately.

Bore 4½ inches.

Stroke 4½ inches.

Cooling Water.

Radiator Flat tube, fin.

Ignition Jump spark.

Electric Source . Storage battery.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**THE LOCOMO-
BILE CO. OF
AMERICA**
Bridgeport, Conn.

PRICE . . \$2900
With Cape Top \$3060



MODEL : E, STANDARD.

Color Optional.

Seating Capacity . Five persons.

Clutch Cone.

Wheel Base . . . 102 inches.

Gauge 50 inches.

Tire Dimensions,

Front 32 x 4 inches.

Rear 32 x 4 inches.

Brakes Three. **TYPE:** Double acting—contracting on countershaft, expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 20.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 3¾ inches.

Stroke 4½ inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Low tension magneto.

Drive Double side chain.


Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**THE LOCOMO-
BILE CO. OF
AMERICA**
Bridgeport, Conn.

PRICE . . \$4200




MODEL : E, LIMOUSINE.

| | | | |
|-----------------------------------|--|----------------------------------|---------------------------------|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity | Six persons. | Arranged | Vertically, under hood. |
| Clutch | Cone. | How Cast | In pairs. |
| Wheel Base | 116 inches. | Bore | 3¾ inches. |
| Gauge | 50 inches. | Stroke | 4½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 4 inches. | Radiator | Cellular. |
| Rear | 32 x 4½ inches. | Ignition | Make-and-break. |
| Brakes | Three. TYPE: Double acting—contracting on countershaft, expanding on rear wheels. | Electric Source | Low tension magneto. |
| Horse-power | (A.L.A.M. rating), 20. | Drive | Double side chain. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**THE LOCOMO-
BILE CO. OF
AMERICA**
Bridgeport, Conn.

PRICE . . \$4300




MODEL : E, LANDAULET.

| | | | |
|----------------------------|---|----------------------------|---------------------------------|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity . | Six persons. | Arranged | Vertically, under hood. |
| Clutch | Cone. | How Cast | In pairs. |
| Wheel Base | 116 inches. | Bore | 3¾ inches. |
| Gauge | 50 inches. | Stroke | 4½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 4 inches. | Radiator | Cellular. |
| Rear | 32 x 4½ inches. | Ignition | Make-and-break. |
| Brakes | Three. TYPE : Double acting—contracting on countershaft, expanding on rear wheels. | Electric Source . | Low tension magneto. |
| Horse-power | (A.L.A.M. rating), 20. | Drive | Double side chain. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Four forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**THE LOCOMO-
BILE CO. OF
AMERICA**
Bridgeport, Conn.

PRICE . . \$4750




MODEL : I, RUNABOUT.

| | |
|--|---|
| Color Optional. | Cylinders Four. |
| Seating Capacity . Three persons. | Arranged Vertically, under hood. |
| Clutch Cone. | How Cast In pairs. |
| Wheel Base . . . 123 inches. | Bore 5 inches. |
| Gauge 54 inches. | Stroke 6 inches. |
| Tire Dimensions, | Cooling Water. |
| Front 36 x 4 inches. | Radiator Cellular. |
| Rear 36 x 4½ inches. | Ignition Make-and-break. |
| Brakes Three. TYPE: Double acting—contracting on countershaft, expanding on rear wheels. | Electric Source . Low tension magneto. |
| Horse-power . . . (A.L.A.M. rating), 40. | Drive Double side chain. |
| | Transmission . . Selective sliding gear. |
| | Gear Changes . . Four forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**THE LOCOMO-
BILE CO. OF
A M E R I C A**
Bridgeport, Conn.

PRICE . . \$4750
With Cape Top \$4945




MODEL : I, STANDARD.

| | | | |
|-----------------------------------|---|----------------------------------|----------------------------|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Cone. | How Cast | In pairs. |
| Wheel Base | 123 inches. | Bore | 5 inches. |
| Gauge | 54 inches. | Stroke | 6 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Cellular. |
| Rear | 36 x 4½ inches. | Ignition | Make-and break. |
| Brakes | Three. TYPE: Double acting—contracting on countershaft, expanding on rear wheels. | Electric Source | Low tension magneto. |
| Horse-power | (A.L.A.M. rating), 40. | Drive | Double side chain. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

THE LOCOMO-
BILE CO. OF
AMERICA
Bridgeport, Conn.

PRICE . . \$6200



MODEL : I, LIMOUSINE.

Color Optional.

Seating Capacity . Seven persons.

Clutch Cone.

Wheel Base . . . 123 inches.

Gauge 54 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches.

Brakes Three. TYPE: Double acting—contracting on countershaft, expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 40.

Cylinders Four.

Arranged . . . Vertically, under hood.

How Cast In pairs.

Bore 5 inches.

Stroke 6 inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Low tension magneto.

Drive Double side chain.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**WALTER AU-
TOMOBILE CO.
OF N. J.**

*49-51 West Sixty-
sixth Street, N. Y.*

PRICE . . \$5000

With Cape Top \$5150




MODEL : 1908.

| | |
|--|--|
| Color Optional. | Cylinders Four. |
| Seating Capacity . Seven persons. | Arranged Vertically, under hood. |
| Clutch Metallic or inverted cone. | How Cast In pairs. |
| Wheel Base 120 inches. | Bore 5 inches. |
| Gauge 56 inches. | Stroke 5½ inches. |
| Tire Dimensions, | Cooling Water. |
| Front 36 x 4 inches. | Radiator Honeycomb. |
| Rear 36 x 5 inches. | Ignition Jump spark. |
| Brakes Three. TYPE: Metallic on gear box and rear wheels. | Electric Source . Storage battery and high tension magneto. |
| Horse-power . . 44. | Drive Shaft. |
| | Transmission . . Selective. |
| | Gear Changes . . Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**STEVENS-
DURYEA CO.**
Chicopee Falls, Mass.

PRICE . . \$2500
With Folding Top
\$2600



MODEL : R.

| | |
|--|--|
| Color Brewster green. | Cylinders Four. |
| Seating Capacity . Five persons. | Arranged Vertically. |
| Clutch Multiple disc. | How Cast Separately, with water jackets integral. |
| Wheel Base 90 inches. | Bore $3\frac{3}{4}$ inches. |
| Gauge 56 inches. | Stroke $4\frac{1}{2}$ inches. |
| Tire Dimensions, | Cooling Water. |
| Front $30 \times 3\frac{1}{2}$ inches. | Radiator Cellular. |
| Rear $30 \times 3\frac{1}{2}$ inches. | Ignition Jump spark. |
| Brakes Three. TYPE: Internal expanding on rear wheels; contracting on transmission. | Electric Source . Dry batteries. |
| Horse-power . . . 20. | Drive Shaft. |
| | Transmission . . Sliding gear. |
| | Gear Changes . . . Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**STEVENS-
DURYEA CO.**
Chicopee Falls, Mass.

PRICE . . . \$3300



MODEL : R, LIMOUSINE.

Color Brewster green.

Seating Capacity . Five persons.

Clutch Multiple disc.

Wheel Base 90 inches.

Gauge 56 inches.

Tire Dimensions,

Front 31 x 4 inches.

Rear 31 x 4 inches.

Brakes Three. TYPE: Contracting on driving shaft and expanding on rear wheels.

Horse-power . . 20.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately, with water jackets integral.

Bore 3 $\frac{3}{8}$ inches.

Stroke 4 $\frac{1}{2}$ inches.

Cooling Water.

Radiator Cellular.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**STEVENS-
DURYEA CO.**
Chicopee Falls, Mass.

PRICE . . \$3500
With Cape Top, \$3650




MODEL : U, "LIGHT SIX."

| | | | |
|---------------------------|---|----------------------------|--|
| Color | Maroon body, black underbody, and light red running gear. | Cylinders | Six. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | Separately, with water jackets integral. |
| Wheel Base | 114 inches. | Bore | 3 $\frac{1}{8}$ inches. |
| Gauge | 56 inches. | Stroke | 4 $\frac{3}{4}$ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 34 x 4 inches. | Radiator | Cellular. |
| Rear | 34 x 4 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheels. | Electric Source . | Storage and dry batteries. |
| Horse-power . . . | 35. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**STEVENS-
DURYEA CO.**
Chicopee Falls, Mass.

PRICE . . \$4500




MODEL : U, LIMOUSINE.

| | | | |
|----------------------------|---|----------------------------|--|
| Color | Maroon body, with black trimmings and crimson running gear. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | Separately, with water jackets integral. |
| Wheel Base | 114 inches. | Bore | 3 $\frac{1}{8}$ inches. |
| Gauge | 56 inches. | Stroke | 4 $\frac{3}{4}$ inches. |
| Tire-Dimensions, | | Cooling | Water. |
| Front | 34 x 4 inches. | Radiator | Cellular. |
| Rear | 34 x 4 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE : Contracting and expanding on rear wheels. | Electric Source . | Storage and dry batteries. |
| Horse-power | 35. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

STEVENS -
DURYEA CO.
Chicopee Falls, Mass.

PRICE . . \$6000
With Extension Top




MODEL : S, "BIG SIX."

| | | | |
|---------------------|--|---------------------|-----------------------------|
| Color | S.-D. green, with crimson running gear. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | Separately. |
| Wheel Base | 122 inches. | Bore | 4¾ inches. |
| Gauge | 56 inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Cellular. |
| Rear | 36 x 5 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE : Contracting and expanding on rear wheels. | Electric Source . | Storage and dry batteries. |
| Horse-power | 50. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**POPE MANU-
FACTURING
COMPANY**
Hartford, Conn.

PRICE . . \$2750
Any Style Top, \$150
Extra




MODEL : POPE-HARTFORD, M.

| | | | |
|---------------------------|---|----------------------------|-----------------------------|
| Color | To specifications | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | In pairs. |
| Wheel Base | 112 inches. | Bore | 4½ inches. |
| Gauge | 56 inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 34 x 3½ inches. | Radiator | Planetic. |
| Rear | 34 x 4 inches. | Ignition | Jump spark. |
| Brakes | Two. TYPE: Internal expanding on transmission shaft and rear wheels. | Electric Source . | Magneto. |
| Horse-power . . . | (A.L.A.M. rating), 30. | Drive | Shaft. |
| | | Transmission . . | Selective. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**POPE MOTOR
CAR COMPANY**
Toledo, Ohio

PRICE . . \$4750
With Cape Extension
Front Top, \$4975



MODEL : POPE-TOLEDO, TYPE XVIII, TOURING RUNABOUT.

Color Body, grey-green ; running gear, green-grey.

Seating Capacity . Two in front ; two in auxiliary seat.

Clutch Multiple disc.

Wheel Base . . . 115 inches.

Gauge 56 inches.

Tire Dimensions,
 Front 36 x 4 inches.
 Rear 36 x 4½ inches.

Brakes Three. TYPE : Two expanding and one contracting, on shaft and rear wheels.

Horse-power . . . (A.L.A.M. rating), 38.

Cylinders Four.

Arranged Vertically.

How Cast In pairs, with copper water jackets.

Bore 4¾ inches.

Stroke 5¼ inches.

Cooling Pump and fan.

Radiator "Pope-Toledo" plan-etic.

Ignition Jump spark ; two sets of plugs.

Electric Source . Storage battery and high tension magneto.

Drive Double side chain.

Transmission . . Sliding gear.

Gear Changes . . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**POPE MOTOR
CAR COMPANY**
Toledo, Ohio

PRICE . . \$4750

**With Cape Extension
Front Top, \$4975**



MODEL: POPE-TOLEDO, TYPE XVII, TOURING CAR.

Color Military blue, Brewster green or dark red.

Seating Capacity . Seven persons.

Clutch Multiple disc.

Wheel Base . . . 126 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Three. TYPE: Two expanding and one contracting, on shaft and rear wheels.

Horse-power . . (A.L.A.M. rating), 38.

Cylinders Four.

Arranged Vertically, fore and aft.

How Cast In pairs, with copper water jackets.

Bore 4¾ inches.

Stroke 5¼ inches.

Cooling Pump and fan.

Radiator "Pope-Toledo" plan-etic.

Ignition Jump spark; two sets of plugs.

Electric Source . Storage battery and high tension magneto.

Drive Double side chain.


Transmission . . Sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**APPERSON
BROS. AUTO-
MOBILE CO.**
Kokomo, Indiana

PRICE . . \$2750



MODEL: M.

Color Red.

Seating Capacity . Four persons.

Clutch Contracting friction.

Wheel Base . . . 106½ inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 4 inches.

Rear 34 x 4 inches.

Brakes Four. TYPE: Contracting and expanding on rear wheels.

Horse-power . . . (A.L.A.M. rating), 36.1.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4¾ inches.

Stroke 5 inches.

Cooling Water.

Radiator Vertical tubular.

Ignition Jump spark.

Electric Source . Storage battery and high tension magneto.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

OLDS MOTOR WORKS

Lansing, Michigan

PRICE . . \$1900



MODEL: X, OLDSMOBILE.

| | | | |
|----------------------------|--|----------------------------|-----------------------------|
| Color | Dark green and red. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced (internal). | How Cast | In pairs. |
| Wheel Base | 106½ inches. | Bore | 4½ inches. |
| Gauge | 55 inches. | Stroke | 4¾ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 3½ inches. | Radiator | Vertical tube. |
| Rear | 32 x 3½ inches. | Ignition | Jump spark. |
| Brakes | Two. TYPE: Expanding on wheel and contracting on transmission. | Electric Source . | Storage and dry batteries. |
| Horse-power | (A.L.A.M. rating), 32. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |


Descriptive catalogue will be sent upon application to the above-named company

**OLDS MOTOR
WORKS**

Lansing, Michigan



PRICE . . \$2750



MODEL: M. R., OLDSMOBILE FLYING ROADSTER.

Color Optional.

Seating Capacity . Three persons.

Clutch Internal cone.

Wheel Base 106½ inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Four. TYPE: Contracting and expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 36.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 4¾ inches.

Cooling Water.

Radiator Vertical tube.

Ignition Jump spark.

Electric Source . Storage and dry batteries; magneto extra.

Drive Shaft.

Transmission . . Selective sliding gear.


Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**OLDS MOTOR
WORKS**

Lansing, Michigan

PRICE . . . \$2750



MODEL : M, OLDSMOBILE PALACE TOURING CAR.

Color Optional.

Seating Capacity . Five persons.

Clutch Internal cone.

Wheel Base . . . 112½ inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 3½ inches.

Rear 34 x 4 inches.

Brakes Two. TYPE: Expanding and contracting on rear wheels.

Horse-power . . . (A.L.A.M. rating), 30.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 4¾ inches.

Cooling Water.

Radiator Vertical tube.

Ignition Jump spark.

Electric Source . Storage battery; arranged for magneto.

Drive Shaft.

Transmission . . Selective sliding gear.


Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**OLDS MOTOR
WORKS**

Lansing, Michigan

PRICE . . \$4200



MODEL : Z SIX, OLDSMOBILE.

Color Optional.

Seating Capacity . Seven persons.

Clutch Cone, internal.

Wheel Base 130 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4½ inches.

Rear 36 x 5 inches.

Brakes Two. TYPE: Expanding and contracting on rear wheels.

Horse-power . . . (A. L. A. M. rating), 48.

Cylinders Six.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4½ inches.

Stroke 4¾ inches.

Cooling Water.

Radiator Vertical tube.

Ignition Jump spark.

Electric Source . Storage battery and magneto.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**HAYNES AUTO
C O M P A N Y**
Kokomo, Indiana

PRICE . . \$3000




MODEL : W.

| | | | |
|----------------------------|---|----------------------------|---|
| Color | Dark green or red. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Haynes band. | How Cast | In pairs. |
| Wheel Base | 106 inches. | Bore | 4¾ inches. |
| Gauge | 56 inches. | Stroke | 5 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 34 x 4 inches. | Radiator | Honeycomb. |
| Rear | 34 x 4 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Expanding and contracting on rear wheels. | Electric Source . | High tension magneto and storage battery. |
| Horse-power | 45. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company.

**HAYNES AUTO
COMPANY**
Kokomo, Indiana

PRICE . . \$3750



MODEL : U.

Color Dark green or red.

Seating Capacity . Seven persons.

Clutch Haynes band.

Wheel Base . . . 118 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4½ inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: Expanding and contracting on rear wheels.

Horse-power . . 60.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 5½ inches.

Stroke, 6 inches.

Cooling Water.

Radiator Honeycomb.

Ignition Jump spark.

Electric Source . High tension magneto and storage battery.

Drive Shaft.


Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**THE WINTON
MOTOR CAR-
RIAGE CO.**
Cleveland, Ohio

PRICE . . \$4500



MODEL : SIX-TEEN-SIX, RUNABOUT.


| | |
|---|--|
| Color Optional. | Cylinders Six. |
| Seating Capacity . Three persons. | Arranged Vertically, under hood. |
| Clutch Multiple disc. | How Cast In pairs. |
| Wheel Base 120 inches. | Bore 4½ inches. |
| Gauge 56½ inches. | Stroke 5 inches. |
| Tire Dimensions, | Cooling Water. |
| Front 36 x 4½ inches. | Radiator Vertical tubes with fins. |
| Rear 36 x 4½ inches. | Ignition Jump spark. |
| Brakes Four. TYPE: Contracting and expanding on rear wheels. | Electric Source . High tension magneto and batteries. |
| Horse-power . . (A.L.A.M. rating), 48. | Drive Shaft. |
| | Transmission . . Selective sliding gear. |
| | Gear Changes . . Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

THE WINTON
MOTOR CAR-
RIAGE CO.
Cleveland, Ohio



PRICE . . \$4500
With 5-bow Top




MODEL : SIX-TEEN-SIX, TOURING CAR.

| | | | |
|---------------------------|---|----------------------------|---|
| Color | Red, blue, green or grey. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | In pairs. |
| Wheel Base | 120 inches. | Bore | 4½ inches. |
| Gauge | 56½ inches. | Stroke | 5 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4½ inches. | Radiator | Vertical tubes with fins. |
| Rear | 36 x 4½ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheels. | Electric Source . | High tension magneto and storage battery. |
| Horse-power . . . | (A.L.A.M. rating), 48. | Drive | Shaft. |
| | | Transmission . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**THE WINTON
MOTOR CAR-
RIAGE CO.**
Cleveland, Ohio

PRICE . . \$5500



MODEL : SIX-TEEN-SIX, LIMOUSINE.

| | | | |
|----------------------------|---|----------------------------|-------------------------------------|
| Color | Optional. | Cylinders | Six. |
| Seating Capacity . | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | In pairs. |
| Wheel Base | 120 inches. | Bore | 4½ inches. |
| Gauge | 56½ inches. | Stroke | 5 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4½ inches. | Radiator | Vertical tubes with fins. |
| Rear | 36 x 4½ inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheels. | Electric Source . | High tension magneto and batteries. |
| Horse-power | (A.L.A.M. rating), 48. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company


**THE LOZIER
MOTOR CO.**

*Fifty-fifth Street and
Broadway, N. Y.*

PRICE . . . \$4000

**With Extension Cape
Top, \$4200**

Limousine . . . \$5000



MODEL : G.

Color Four options.

Seating Capacity . Seven persons.

Clutch Multiple disc.

Wheel Base . . . 117 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE: External contracting and internal expanding; two water-cooled on transmission, two emergency on rear wheels.

Horse-power . . 40.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Honeycomb.

Ignition Jump spark, double system.

Electric Source . Storage battery and high tension magneto.

Drive Double side chain.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

THE LOZIER MOTOR CO.

*Fifty-fifth Street and
Broadway, N. Y.*



PRICE . . \$5000

**With Extension Cape
Top, \$5200**



MODEL : H.

| | | | |
|-----------------------------------|---|----------------------------------|---|
| Color | Four options. | Cylinders | Four. |
| Seating Capacity | Seven persons. | Arranged | Vertically. |
| Clutch | Multiple disc. | How Cast | In pairs. |
| Wheel Base | 124 inches. | Bore | 5¼ inches. |
| Gauge | 56 inches. | Stroke | 5¼ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4 inches. | Radiator | Honeycomb. |
| Rear | 36 x 4½ inches. | Ignition | *Jump spark, double system. |
| Brakes | Four. TYPE: Contracting and expanding on rear wheels. | Electric Source | Storage battery and high tension magneto. |
| Horse-power | (A.L.A.M. rating), 45. | Drive | Shaft. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**THE LOZIER
MOTOR CO.**

*Fifty-fifth Street and
Broadway, N. Y.*

PRICE . . \$6000



MODEL : H, LIMOUSINE.

Color Four options.

Seating Capacity Seven persons.

Clutch Multiple disc.

Wheel Base 124 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. Type: External contracting and internal expanding, on rear wheels.

Horse-power (A.L.A.M. rating), 45.

Cylinders Four

Arranged Vertically.

How Cast In pairs.

Bore 5¼ inches.

Stroke 5¼ inches.

Cooling Water.

Radiator Honeycomb.

Ignition Jump spark, double system.

Electric Source Storage battery and high tension magneto.

Drive Shaft.

Transmission Selective sliding gear.

Gear Changes Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

THE LOZIER MOTOR CO.

*Fifty-fifth Street and
Broadway, N. Y.*

PRICE . . \$6000

With Extension Cape
Top, \$6200

Limousine, \$7000



MODEL : I.

Color Four options.

Seating Capacity . Seven persons.

Clutch Multiple disc.

Wheel Base . . . 131 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 4½ inches.

Brakes Four. TYPE : External
contracting and internal
expanding, on rear
wheels.

Horse-power . . (A.L.A.M. rating), 50.

Cylinders Six.

Arranged Vertically.

How Cast In pairs.

Bore 4¾ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Honeycomb.

Ignition Jump spark, double system.

Electric Source . Storage battery and high
tension magneto.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

E. R. THOMAS
DETROIT CO.
Buffalo, N. Y.

PRICE . . \$2750
With Extension Top
~~\$2900~~



MODEL: 4-40 DETROIT.

Color Red with other colors
on specifications.

Seating Capacity . Five persons.

Clutch Expanding cone.

Wheel Base . . 112½ inches.

Gauge 56 inches.

Tire Dimensions,

Front 34 x 4 inches.

Rear 34 x 4 inches.

Brakes Three. TYPE: Expanding
in rear wheels, contracting on countershaft
drum.

Horse-power . . (A.L.A.M. rating), 40.

Cylinders Four.

Arranged . . . Vertically, under hood.

How Cast . . . In pairs.

Bore 5 inches.

Stroke 4¾ inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Storage and dry batteries.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Three forward, one reverse

Descriptive catalogue will be sent upon application to the above-named company

E. R. THOMAS
MOTOR CO.
Buffalo, N. Y.

PRICE . \$3000



MODEL: THOMAS 4-20 TOWN CAR, LANDAULET.

| | | | |
|----------------------------|---------------------------------------|----------------------------|-----------------------------|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity . | Six persons. | Arranged | Vertically, under hood. |
| Clutch | Cone. | How Cast | Integral. |
| Wheel Base | 100 inches. | Bore | 3¼ inches. |
| Gauge | 56 inches. | Stroke | 4 5/16 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 4 inches. | Radiator | Tubular. |
| Rear | 32 x 4 inches. | Ignition | Jump spark. |
| Brakes | Four. Type: Expanding on rear wheels. | Electric Source . | High tension magneto. |
| Horse-power | (A.L.A.M. rating), 16.9. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**E. R. THOMAS
MOTOR CO.
Buffalo, N. Y.**

PRICE . . \$4500
With Extension Top
\$4700



MODEL: F, THOMAS 4-60 TOURING CAR.

Color Optional.

Seating Capacity . Seven persons.

Clutch Disc.

Wheel Base . . . 127 inches.

Gauge 56 inches.

Tire Dimensions,

Front 36 x 4 inches.

Rear 36 x 5 inches.

Brakes Four. TYPE: Contracting on countershaft, expanding on rear wheels.

Horse-power . . (A.L.A.M. rating), 48.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 5½ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Cellular.

Ignition Jump spark.

Electric Source . High tension magneto and spark generator.

Drive Double side chain.


Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**E. R. THOMAS
MOTOR CO.
Buffalo, N. Y.**

PRICE . . \$6000
With Extension Top



MODEL : THOMAS 6-70 TOURING CAR.

| | | | |
|-----------------------------------|--|----------------------------------|---|
| Color | Optional. | Cylinders | Six. |
| Seating Capacity | Seven persons. | Arranged | Vertically, under hood. |
| Clutch | Disc. | How Cast | Separately. |
| Wheel Base | 136 inches. | Bore | 5½ inches. |
| Gauge | 56 inches. | Stroke | 5½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 36 x 4½ inches. | Radiator | Cellular with two fans. |
| Rear | 36 x 5 inches. | Ignition | Jump spark. |
| Brakes | Four. TYPE: Contracting on countershaft; expanding in rear wheels. | Electric Source | High tension magneto and spark generator. |
| Horse-power | (A.L.A.M. rating), 72. | Drive | Double side chain. |
| | | Transmission | Selective sliding gear. |
| | | Gear Changes | Four forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

HEWITT MOTOR COMPANY

6, 8, 10 East Thirty-first Street, N. Y.

PRICE . . \$4500

Chassis Only

With Platform Body
and Top over Driver
\$5000



MODEL: FIVE-TON TRUCK.

Color Optional.

Carrying Capacity Five tons.

Clutch Cone.

Wheel Base 138 inches.

Gauge 68 inches.

Tire Dimensions,

Front 36 x 5 inches.

Rear 36 x 4 inches, dual.

Brakes Two. TYPE: Expanding on differential and rear wheels.

Horse-power . . (A.L.A.M. rating), 28.

Cylinders Four.

Arranged Vertically.

How Cast In pairs.

Bore 4 1/4 inches.

Stroke 5 1/2 inches.

Cooling Water.

Radiator Cellular, spring suspended.

Ignition Jump spark.

Electric Source . High tension magneto.

Drive Double side chain.

Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**STUDEBAKER
AUTOMOBILE
COMPANY**
South Bend, Indiana

PRICE . . \$3500
With Buggy Top \$3560



MODEL : H, RUNABOUT.

| | | | |
|----------------------------|--|--------------------------|-----------------------------|
| Color | Red and black, green or blue combination. | Cylinders | Four. |
| Seating Capacity . | Three persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | In pairs. |
| Wheel Base | 104 inches. | Bore | 4½ inches. |
| Gauge | 54 inches. | Stroke | 5¼ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 34 x 4 inches. | Radiator | Cellular. |
| Rear | 34 x 4 inches. | Ignition | Make-and-break. |
| Brakes | Two. TYPE: Expanding and contracting on rear wheels and shaft. | Electric Source . | Low tension magneto. |
| Horse-power | (A.L.A.M. rating), 27. | Drive | Shaft. |
| | | Transmission . . | Progressive sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**STUDEBAKER
AUTOMOBILE
COMPANY**
South Bend, Indiana

PRICE . . \$3500
With Cape Top \$3650
Glass Front, \$60 extra



MODEL : A.

| | | | |
|----------------------------|--|----------------------------|-----------------------------|
| Color | Red and black, green or blue combination. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | In pairs. |
| Wheel Base | 104 inches. | Bore | 4 $\frac{1}{8}$ inches. |
| Gauge | 54 inches. | Stroke | 5 $\frac{1}{4}$ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 34 x 4 inches. | Radiator | Cellular. |
| Rear | 34 x 4 inches. | Ignition | Make-and-break. |
| Brakes | Two. TYPE: Expanding and contracting on rear wheels and shaft. | Electric Source . | Low tension magneto. |
| Horse-power | (A.L.A.M. rating), 27. | Drive | Shaft. |
| | | Transmission . . | Progressive sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

STUDEBAKER AUTOMOBILE COMPANY

South Bend, Indiana

PRICE . . . \$4000

With Cape Top \$4156

Glass Front, \$60 extra



MODEL : B.

Color Red and black, green or blue combination.

Seating Capacity . Seven persons.

Clutch Cone, leather faced.

Wheel Base . . . 114 inches.

Gauge 54 inches.

Tire Dimensions,
Front 34 x 4½ inches.
Rear 34 x 4½ inches.

Brakes Two. TYPE: Expanding and contracting on rear wheels.

Horse-power . . (A.L.A.M. rating), 36.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4¾ inches.

Stroke 5½ inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Low tension magneto.

Drive Shaft.

Transmission . . Selective sliding gear.

Gear Changes . . Four forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**STUDEBAKER
AUTOMOBILE
COMPANY**
South Bend, Indiana

PRICE . . \$4200



MODEL: H, LIMOUSINE.

Color Blue, dark blue, dark green or dark maroon.

Seating Capacity . Seven persons.

Clutch Cone, leather faced.

Wheel Base . . . 104 inches.

Gauge 54 inches.

Tire Dimensions,

Front 34 x 4 inches.

Rear 34 x 4½ inches.

Brakes Two. TYPE: Expanding and contracting on rear wheels and shaft.

Horse-power . . (A.L.A.M. rating), 27.

Cylinders Four.

Arranged Vertically, under hood.

How Cast In pairs.

Bore 4½ inches.

Stroke 5¼ inches.

Cooling Water.

Radiator Cellular.

Ignition Make-and-break.

Electric Source . Magneto.

Drive Shaft.

Transmission . . Progressive sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**WALTHAM
MANUFACTURING CO.**
Waltham, Mass.

PRICE . . \$1450
With Paneled Wood
Top




MODEL: 178 C, PARCEL CAR.

| | | | |
|------------------------------------|---|----------------------------------|----------------------------|
| Color | Optional. | Cylinders | Two. |
| Carrying Capacity | 1000 pounds. | Arranged | Opposed. |
| Wheel Base | 92 inches. | How Cast | Separately. |
| Gauge | 56 inches. | Bore | 4 $\frac{3}{8}$ inches. |
| Tire Dimensions, | | Stroke | 4 inches. |
| Front | 30 x 3 inches. | Cooling | Water. |
| Rear | 30 x 3 inches. | Radiator | Thermo-syphon. |
| Brakes | Two. TYPE: Expanding on rear wheels; also friction reverse. | Ignition | Jump spark. |
| Horse-power | (A.L.A.M. rating), 14. | Electric Source | Dry batteries. |
| | | Drive | Double side chain. |
| | | Transmission | Friction. |
| | | Gear Changes | Five forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**WALTHAM
MANUFACTURING CO.**
Waltham, Mass.

PRICE . . \$600
With Mackintosh
Buggy Top \$625



MODEL : 28, RUNABOUT.

Color Bright carmine.

Seating Capacity . Two persons.

Wheel Base 84 inches.

Gauge 42 inches.

Tire Dimensions,

Front 26 x 2½ inches.

Rear 26 x 2½ inches.

Brakes Two. Type: Expanding on rear wheels; also friction reverse.

Horse-power . . (A.L.A.M. rating), 8.

Cylinders Two.

Arranged 50 degrees offset.

How Cast Separately.

Bore 3¼ inches.

Stroke 4 inches.

Cooling Air.

Ignition Jump spark.

Electric Source . Storage and dry batteries.

Drive Double side chain.


Transmission . . Friction.

Gear Changes . . Five forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**WALTHAM
MANUFACTURING CO.**
Waltham, Mass.

PRICE . . \$1350
With Folding Top
\$1025




MODEL: 138, ROADSTER.

| | | | |
|----------------------------|---|----------------------------|----------------------------|
| Color | English vermillion, black trimmings. Option French grey. | Cylinders | Two. |
| Seating Capacity . | Two persons. | Arranged | Opposed. |
| Wheel Base | 102 inches. | How Cast | Separately. |
| Gauge | 56 inches. | Bore | 4 $\frac{3}{4}$ inches. |
| Tire Dimensions, | | Stroke | 4 inches. |
| Front | 30 x 3 inches. | Cooling | Water. |
| Rear | 30 x 3 inches. | Radiator | Thermo-syphon. |
| Brakes | Two. TYPE: Expanding on rear wheels; also friction reverse. | Ignition | Jump spark. |
| Horse-power | (A.L.A.M. rating), 14. | Electric Source . | Dry batteries. |
| | | Drive | Double side chain. |
| | | Transmission . . | Friction. |
| | | Gear Changes . . | Five forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**WALTHAM
MANUFACTURING CO.**
Waltham, Mass.

PRICE . . \$1400
With Cape Top \$1500



MODEL : 158, FAMILY TOURING.

Color Brewster green, carmine running gear.

Seating Capacity . Four persons.

Wheel Base 92 inches.

Gauge 56 inches.

Tire Dimensions,

Front 30 x 3 inches.

Rear 30 x 3 inches.

Brakes Two. TYPE : Expanding on rear wheels ; also friction reverse.

Horse-power . . . (A.L.A.M. rating), 14.

Cylinders Two.

Arranged Opposed.

How Cast Separately.

Bore 4 $\frac{3}{8}$ inches.

Stroke 4 inches.

Cooling Water.

Radiator Thermo-syphon.

Ignition Jump spark.

Electric Source . Dry batteries.

Drive Double side chain.

Transmission . . Friction.

Gear Changes . . Five forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company.

**WALTHAM
MANUFAC-
TURING CO.**
Waltham, Mass.

PRICE . . \$1750
With Pantasote Bug-
gy Top \$1850




MODEL : D. L. R., RUNABOUT.

| | | | |
|----------------------------|---|----------------------------|----------------------------------|
| Color | Brewster green, carmine striping; running gear, cream white; frame, black. Option carmine running gear. | Cylinders | Four. |
| Seating Capacity . | Two persons. | Arranged | Vertically. |
| Clutch | Cone, leather faced. | How Cast | Separately. |
| Wheel Base | 96 inches. | Bore | 4 inches. |
| Gauge | 56 inches. | Stroke | 4¼ inches. |
| Tire Dimensions, | | Cooling | Air. |
| Front | 32 x 3¼ inches. | Ignition | Jump spark. |
| Rear | 32 x 3¼ inches. | Electric Source . | Storage and dry bat- teries. |
| Brakes | Two. TYPE: External on rear wheels and transmission. | Drive | Shaft. |
| Horse-power | (A.L.A.M. rating), 20. | Transmission . . | Progressive sliding gear. |
| | | Gear Changes . . | Three forward, one re- verse. |

Descriptive catalogue will be sent upon application to the above-named company

**BUICK MOTOR
C O M P A N Y**
Flint, Michigan

PRICE . . \$850
With Extension Top
\$900
Detachable Rumble
\$50 Extra



MODEL : 10.


| | |
|--|---|
| Color French grey. | Cylinders Four. |
| Seating Capacity . Three persons. | Arranged Vertically, under hood. |
| Clutch Cone. | How Cast In pairs. |
| Wheel Base 88 inches. | Bore 3¾ inches. |
| Gauge 56 inches. | Stroke 3¾ inches. |
| Tire Dimensions, | Cooling Water. |
| Front 30 x 3 inches. | Radiator Tubular. |
| Rear 30 x 3 inches. | Ignition Jump spark. |
| Brakes Two. TYPE: Hub, internal expanding; external contracting on shaft. | Electric Source . Storage battery. |
| Horse-power . . 18. | Drive Shaft. |
| | Transmission . . Planetary. |
| | Gear Changes . . Two forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

**BUICK MOTOR
C O M P A N Y**
Flint, Michigan

PRICE . . \$1250

**With Extension Top
\$1350**



MODEL : F.

Color Deep wine.

Seating Capacity . Five persons.

Clutch Cone.

Wheel Base . . . 90 inches.

Gauge 56 inches.

Tire Dimensions,

Front 30 x 4 inches.

Rear 30 x 4 inches.

Brakes Two. TYPE: Expanding on rear wheels.

Horse-power . . . 22.

Cylinders Two.

Arranged Horizontally, under body.

How Cast Separately.

Bore 4½ inches.

Stroke 5 inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Storage and dry batteries.

Drive Chain.

Transmission . . Planetary.

Gear Changes . . Two forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**BUICK MOTOR
COMPANY**
Flint, Michigan

PRICE . . \$2000

**With Extension Top
\$2080**

**Double Rumble Seat
\$50 Extra**



MODEL : S.

Color French grey.

Seating Capacity . Three or four persons.

Clutch Multiple disc.

Wheel Base 106 inches.

Gauge 56 inches.

Tire Dimensions,

Front 32 x 4 inches.

Rear 32 x 4 inches.

Brakes Two. TYPE: Contracting on driving shaft and internal expanding on rear wheels.

Horse-power . . . 24.

Cylinders Four.

Arranged Vertically, under hood.

How Cast Separately.

Bore 4¼ inches.

Stroke 4½ inches.

Cooling Water.

Radiator Tubular.

Ignition Jump spark.

Electric Source . Storage battery.

Drive Shaft.


Transmission . . Sliding gear.

Gear Changes . . Three forward, one reverse.

Descriptive catalogue will be sent upon application to the above-named company

**BUICK MOTOR
C O M P A N Y**
Flint, Michigan

PRICE . . \$2000
With Extension Top
\$2125



MODEL : D.

| | | | |
|----------------------------|---|--------------------------|-----------------------------|
| Color | Royal blue or red. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Multiple disc. | How Cast | Separately. |
| Wheel Base | 102½ inches. | Bore | 4¼ inches. |
| Gauge | 56 inches. | Stroke | 4½ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 4 inches. | Radiator | Tubular. |
| Rear | 32 x 4 inches. | Ignition | Jump spark. |
| Brakes | Three. TYPE: Contracting on driving shaft and expanding on rear wheels. | Electric Source . | Storage batteries. |
| Horse-power | 24. | Drive | Shaft. |
| | | Transmission . . | Sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

3

A detailed black and white illustration of a vintage open-top automobile, shown from a side profile. The car has large, spoked wheels with thick tires, a high-backed seat with a patterned cushion, and a steering wheel. The front of the car features a prominent grille and headlights. The overall design is characteristic of early 20th-century mass-produced vehicles.

| | | | |
|---------------------|--|---------------------|------------------------------|
| Color | Red. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically, under hood. |
| Clutch | Cone, leather faced. | How Cast | In pairs. |
| Wheel Base | 108 inches. | Bore | 4 $\frac{3}{8}$ inches. |
| Gauge | 50 inches. | Stroke | 5 inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 34 x 4' inches. | Radiator | Tubular. |
| Rear | 34 x 4' inches. | Ignition | Jump spark. |
| Brakes | Two. TYPE: Expanding and contracting on driving shaft and rear wheels. | Electric Source . . | Magneto and storage battery. |
| Horse-power | 40. | Drive | Shaft. |
| | | Transmission . . . | Selective sliding gear. |
| | | Gear Changes . . . | Three forward, one reverse. |

129

Rochester, N. Y.

PRICE . . \$2000

With Cape Top \$2150



MODEL : 25.

| | | | |
|---------------------|---|-------------------|-----------------------------|
| Color | Optional. | Cylinders | Four. |
| Seating Capacity . | Five persons. | Arranged | Vertically. |
| Clutch | Cone. | How Cast | In pairs. |
| Wheel Base | 109 inches. | Bore | 4 $\frac{1}{4}$ inches. |
| Gauge | 56 inches. | Stroke | 5 $\frac{1}{4}$ inches. |
| Tire Dimensions, | | Cooling | Water. |
| Front | 32 x 3 $\frac{1}{2}$ inches. | Radiator | Tubular. |
| Rear | 32 x 3 $\frac{1}{2}$ inches. | Ignition | Jump spark. |
| Brakes | Two. TYPE: Internal expanding on rear wheels and on transmission. | Electric Source . | Dry batteries. |
| Horse-power | (A. L. A. M. rating), 28. | Drive | Shaft. |
| | | Transmission . . | Selective sliding gear. |
| | | Gear Changes . . | Three forward, one reverse. |

Descriptive catalogue will be sent upon application to the above-named company

IMPORTED AUTOMOBILES

Owing to the custom of foreign makers of cars, which is not to expose new models until after the Paris Salon, it was not possible to obtain details of the latest models in time to embody in this Hand Book. Such details may be obtained from the Importers of such cars at the addresses given below :

LICENSED IMPORTERS

Auto Import Co.

1786 Broadway, N. Y.

FLORENZIA

LOCOMOTRICE

MARTINI

ROCHET-SCHNEIDER

Sidney B. Bowman Automobile Co.

225 West 49th Street, N. Y.

CLEMENT - BAYARD

CLEMENT - TALBOT

Darracq Motor Car Co.

1989 Broadway, N. Y.

DARRACQ

De Dietrich Import Co.

3 West 44th Street, N. Y.

De DIETRICH

The Hol - Tan Co.

Broadway and 56th Street, N. Y.

FIAT

ISOTTA - FRASCHINI

ITALA

Walter C. Martin

Trading as Rolls-Royce Import Co.

62d Street and Broadway, N. Y.

ROLLS - ROYCE

Wyckoff, Church & Partridge

Broadway and 56th Street, N. Y.

C. G. V.

The New York Transportation Co., Eighth Avenue and 49th Street, New York, who are operating gasoline omnibuses and gasoline cabs and other vehicles for hire, are licensed to import and use foreign made automobiles.

CATALOGUE REQUEST BLANK

.....1908

.....

GENTLEMEN :—Please send me catalogue describing your automobiles shown in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association of Licensed Automobile Manufacturers, and oblige,

Name

Street City.....

CATALOGUE REQUEST BLANK

.....1908

.....

GENTLEMEN :—Please send me catalogue describing your automobiles shown in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association of Licensed Automobile Manufacturers, and oblige,

Name

Street City.....

CATALOGUE REQUEST BLANK

.....1908

.....

GENTLEMEN :—Please send me catalogue describing your automobiles shown in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association of Licensed Automobile Manufacturers, and oblige,

Name

Street City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association of Licensed Automobile Manufacturers, and oblige,

Name.....

Street City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association of Licensed Automobile Manufacturers, and oblige,

Name.....

Street City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association of Licensed Automobile Manufacturers, and oblige,

Name.....

Street City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street City

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street City

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street City

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street..... City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City.....

CATALOGUE REQUEST BLANK

.....1908

.....
.....
GENTLEMEN :—Please send me catalogue describing your automobiles shown
in the HAND BOOK OF GASOLINE AUTOMOBILES, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City.....

TP-874-097